

Cancer	US Rank Deaths	US Cancer Deaths	US Male Deaths	Death Rank Male	US Female Deaths	Death Rank Female	New cases per year	New case rank	5 yr. Survival %****	Avg. yrs of life lost	Incidence % change 92 to 98	NCI 01 Research Budget	NCI Funding Rank	% Increase 00 to 01
Brain & CNS*	10	13,100	7,200	12	5,900	9	17,200	16	31%	22	-1.1	\$ 81 M	6	5%
Breast	3	40,600	400	19	40,200	2	193,700	2	87%	19	1.2	\$475 M	1	6%
Cervix	19	4,400			4,400	14	12,900	20	71%	26	-2.2	\$73 M	9	11%
Colon & rectal	2	56,700	27,700	3	29,000	3	98,200	4	62%	13	-0.6	\$207 M	3	8%
Corpus & uterus	16	6,600			6,600	8	35,300	8	86%	15	0.2	\$19 M	15	3%
Esophagus	12	12,500	9,500	7	3,000	16	13,200	19	15%	15	-0.2			
Head & Neck												\$90 M	12	8%
Hodgkin	21	1,300	700	17	600	21	7,400	22	84%	26	-0.6	\$10 M	19	6%
Kidney/Renal	14	12,100	7,500	10	4,600	13	30,800	10	62%	16	0.8			
Larynx	20	4,000	3,100	16	900	19	10,000	21	66%		-3.3			
Leukemia	7	21,500	12,000	6	9,500	7	31,500	9	46%	17	-1.4	\$154 M	5	6%
Liver & HBV**	8	14,100	8,900	8	5,200	12	16,200	17	6%		4.4	\$95 M	11	8%
Lung & Bronchus	1	157,400	90,100	1	67,300	1	189,500	3	15%	15	-0.1 F / -2.7	\$207 M	4	8%
Melanomas -skin	16	7,800	5,000	15	2,800	17	51,400	7	89%	19	2.8	\$72 M	10	6%
Multiple Myeloma	15	11,200	5,800	13	5,400	11	14,400	18	28%	14	-1.1	\$20 M	14	
NHL***	6	26,300	12,205	5	12,500	6	56,200	5	54%	15	0.1	\$80 M	7	6%
Oral & Pharynx	17	7,800	5,100	14	2,700	18	30,100	11	58%	16	-1.9			
Ovary	9	13,900			13,900	5	23,400	13	52%	17	-1.4	\$77 M	8	6%
Pancreas	5	28,900	14,100	4	14,800	4	29,200	12	4%	14	-0.6	\$22 M	13	8%
Prostate	4	31,500	31,000	2			198,100	1	97%	9	-4.3	\$208 M	2	27%
Stomach	11	12,800	7,400	11	5,400	10	21,700	14	21%	14	-1.8	\$9 M	17	25%
Testis	23	400	400	20			7,200	23	95%	35	1.2			
Thyroid	22	1,300	600	18	800	20	19,500	15			2.7			
Urinary bladder	13	12,400	8,300	9	4,100	15	54,300	6	82%	11	-0.9			
All	N/A	553,400	286,100		267,100		1,268,000			15.1	-1.0	\$1.9 B		13.4%

* Other Nervous System

** Intrahepatic Bile Duct

*** NHL Non-Hodgkin Lymphoma

**** Five-year relative survival rates by site of white patients between 1992-1997

Source for above data: National Cancer Institute web site